

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)					
															KEY: Flush performance (MaP score)	Type of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
																							Less than 250 grams	250 grams to 475 grams	500 grams and more
																							6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)	4-L (1.1-gal) Pressure-assist (HET)	Gravity-fed & Vacuum-assist
10-135	American Standard	Afwall EL (wall mount-ADA possible)	3351.160 flushometer bowl only (top spud); tested w/1.6-gpf flushometer valve	1,000	NE	NE	1	-		E	*								R	W					
10-135	American Standard	Afwall EL (wall mount-ADA possible)	3352.160 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.6-gpf flushometer valve	1,000	NE	NE	1	-		E	*								R	W					
10-134	American Standard	Afwall FloWise EL (wall mount-ADA possible)	3351.128 flushometer bowl only (top spud); tested w/1.2-gpf flushometer valve	800	NE	NE	1	-		E	*								R	W					
10-134	American Standard	Afwall FloWise EL (wall mount-ADA possible)	3352.128 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.2-gpf flushometer valve	800	NE	NE	1	-		E	*								R	W					
10-018	American Standard	Tropic/Triumph Cadet 3 EL	2457.016: 3014 bowl, 4007 tank	1,000	SPS		2	3		E	*									F					
7-521	American Standard	Cadet 3 EL (10" rough-in)	2383.010: 3014 bowl, 4019 tank	800	SPS		2	3		E	*									F					
6-641	American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021 tank (unlined tank)	1,000	SPS		2	3	*	E	*									F					
7-541	American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021.500 (lined tank)	800	SPS		2	3		E	*									F					
7-520	American Standard	Cadet 3 EL (14" rough-in)	2383.014: 3014 bowl, 4027 tank	1,000	SPS		2	3		E	*									F					
7-518	American Standard	Cadet 3 EL ADA (10" rough-in)	2386.010: 3016 bowl, 4019 tank	1,000	SPS		2	3		E	*	*								F					
7-523	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021 tank (unlined tank); NOTE: this combination is also sold as 3305.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E	*	*								F					
7-542	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021.500 (lined tank)	1,000	SPS		2	3		E	*	*								F					
7-516	American Standard	Cadet 3 EL ADA (14" rough-in)	2386.014: 3016 bowl, 4027 tank	1,000	SPS		2	3		E	*	*								F					
10-013	American Standard	Tropic/Triumph Cadet 3 RF	2455.016: 3011 bowl, 4007 tank	1,000	SPS		2	3		R	*									F					
7-517	American Standard	Cadet 3 RF (10" rough-in)	2384.010: 3011 bowl, 4019 tank	1,000	SPS		2	3		R	*									F					
7-522	American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021 tank; NOTE: this combination is also sold as 2880.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R	*									F					
12-117	American Standard	Cadet 3 RF (insulated tank)	2882.000 Toilet in a Box (A "COMPLETE" package that includes bowl, tank, seat, and installation mat'l's as one item or SKU)	1,000	SPS		2	3		R	*									F					
7-543	American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021.500 (lined tank)	1,000	SPS		2	3		R	*									F					
7-519	American Standard	Cadet 3 RF (14" rough-in)	2384.014: 3011 bowl, 4027 tank	1,000	SPS		2	3		R	*									F					
10-012	American Standard	Cadet 3 Right Height EL ADA	2459.016: 3016 bowl, 4007 tank	1,000	SPS		2	3		E	*	*								F					
	American Standard	Cadet EL	2333: 4098 tank, 3099 bowl	750	SPS		2	-		E	*			*						F					
	American Standard	Cadet EL	2898: 3459 bowl, 4112 tank	125			2	2		E	*									F					
	American Standard	Cadet RF	2798: 3454 bowl, 4112 tank	150			2	2		R	*									F					
12-109	American Standard	Cadet 3 RF (insulated tank)	2880.500: 3011.016 bowl, 4021.500 tank (lined); NOTE: this combination is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R	*									F					
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	WS	2	3		R										F					
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	WS	2	3		E										F					

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	WS	WS	2	3		E	*										F
10-007	American Standard	Champion 4 EL	2018.214: 3121 bowl, 4266 tank	1,000	SPS		2	3		E	*										F
11-100	American Standard	Champion 4 EL	2018.504: 3121.016 bowl, 4266.504 (lined tank)	1,000	SPS		2	3		E	*										F
12-102	American Standard	Champion 4 EL (one-piece)	2004 (one-piece)	800	SPS		1	3		E	*										F
10-016 & 12-119	American Standard	Champion 4 EL ADA	2002.014: 3225 bowl, 4266 tank; NOTE: this combination is also sold as 2586.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	950	SPS		2	3		E	*	*									F
11-099	American Standard	Champion 4 EL ADA	2002.504: 3225.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		E	*	*									F
11-097	American Standard	Champion 4 EL ADA (one-piece)	2034.314 (one-piece); NOTE: this one-piece fixture is also sold as 2034.014, which is the same fixture but with a seat.	800	SPS		1	3		E	*	*									F
10-022 & 12-118	American Standard	Champion 4 RF	2023.214: 3110 bowl, 4266 tank; NOTE: this combination is also sold as 2585.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	SPS		2	3		R		*									F
11-101	American Standard	Champion 4 RF	2023.504: 3110.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		R		*									F
	American Standard	Champion EL	2018: 3121 bowl, 4260 tank	1,000	SPS		2	3	*	E		*									F
	American Standard	Champion RF	2023: 3110 bowl, 4260 tank	800	SPS		2	3	*	E		*									F
5-502	American Standard	Champion Right Height EL ADA	2002: 3225 bowl, 4260 tank	1,000	SPS		2	3	*	E	*	*									F
5-546	American Standard	Champion Select EL	2087: 3121 bowl, 4272 tank	1,000	SPS		2	3	*	E		*									F
5-545	American Standard	Champion Select EL ADA	2057: 3225 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*									F
5-547	American Standard	Champion Select RF	2035: 3110 bowl, 4272 tank	800	SPS		2	3	*	E		*									F
	American Standard	Colony RF	4392.016 tank, 3038 bowl	775			2	2		R		*									F
	American Standard	Colony RF (lined tank)	4392.500 LINED tank, 3038 bowl	775			2	2		R		*									F
10-011	American Standard	Compact Cadet 3 One Piece EL ADA	2403.012 (one-piece); NOTE: this combination is also sold as 2568.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	SPS		1	3		E	*	*									F
10-128	American Standard	Compact Cadet 3 EL	2431.010: 3046.016 bowl, 4019.016 tank	1,000	SPS		2	3		E		*									F
10-015	American Standard	Doral Champion 4 EL	2368.014: 3121 bowl, 4272 tank	1,000	SPS		2	3		E		*									F
10-003	American Standard	Doral Champion 4 EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	SPS		2	3		E	*	*									F
10-020	American Standard	Doral Champion 4 RF	2369.014: 3110 bowl, 4272 tank	1,000	SPS		2	3		R		*									F
5-540	American Standard	Doral Champion EL	2368: 3121 bowl, 4272 tank	1,000	SPS		2	3	*	E		*									F
5-539	American Standard	Doral Champion EL ADA	2367: 3225 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*									F
5-541	American Standard	Doral Champion RF	2369: 3110 bowl, 4272 tank	800	SPS		2	3	*	R		*									F
10-019	American Standard	Doral Classic Champion 4 EL OR Williamsburg Champion 4 EL	2074.014: 3121 bowl, 4281 tank	1,000	SPS		2	3		E		*									F
10-014	American Standard	Doral Classic Champion 4 RF OR Williamsburg Champion RF	2076.014: 3110 bowl, 4281 tank	1,000	SPS		2	3		R		*									F
10-001	American Standard	Doral Classic Champion EL ADA	2058.014: 3225 bowl, 4281 tank	850	SPS		2	3		E	*	*									F
5-543	American Standard	Doral Classic/Williamsburg EL	2074: 3121 bowl, 4281.016 tank	1,000	SPS		2	3	*	E	*	*									F
5-542	American Standard	Doral Classic/Williamsburg EL ADA	2058: 3225 bowl, 4281.016 tank	1,000	SPS		2	3	*	E	*	*									F
5-544	American Standard	Doral Classic/Williamsburg RF	2076: 3110 bowl, 4281.016 tank	800	SPS		2	3	*	R		*									F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
		Less than 250 grams													Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		250 grams to 475 grams																			
		500 grams and more																			
Type of toilet fixture		Model Name	Model Number																		
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																					
4-L (1.1-gal) Pressure-assist (HET)																					
Gravity-fed & Vacuum-assist																					
6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																					
4.8-L (1.28-gal) (max) Flushometer Bowl & Valve Combination HET (Commercial applications)																					
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	2403.128 (one-piece)	1,000	WS	WS	1	3		E	*									F	
12-113 & 12-116	American Standard	FloWise Dual Flush EL ADA	2480.216: 3073.216 bowl, 4035.216 tank; NOTE: this combination is also sold as 2566.216, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	WS	WS	2			E	*	*					HET				F
12-111 & 12-115	American Standard	FloWise Dual Flush EL ADA (insulated tank)	2480.516: 3073.216 bowl, 4035.516 tank (lined); NOTE: this combination is also sold as 2566.516, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	500	WS	WS	2	2		E	*	*					HET				F
12-112	American Standard	FloWise Dual Flush EL (insulated tank)	2479.516: 3067.216 bowl, 4035.516 tank(lined)	800	WS	WS	2	2		E	*	*					HET				F
10-126	American Standard	FloWise Dual Flush EL	2479.216: 3067.216 bowl, 4035.216 tank	900	WS	WS	2	2	*	E	*	*					HET				F
	American Standard	FloWise EL	2073.013: 3018 bowl, 4023.013 tank (this model to be discontinued & replaced by 2073.014)	550	SPS		2	3	*	E								HET			F
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	SPS	WS	2	3	*	E								HET			F
12-100	American Standard	Mainstream (Evolution 2) RF	2426.012: 3061.016 bowl, 4061.016 tank	800	SPS		2	2		R		*									F
12-099	American Standard	Mainstream (Evolution 2) RF (insulated tank)	3061.016 bowl, 4061.500 tank (lined)	800	SPS		2	2		R		*									F
12-105	American Standard	Mainstream (Evolution 2) EL (insulated tank)	3063.016 bowl, 4061.500 tank (lined)	1,000	SPS		2	2		E		*									F
12-103	American Standard	Mainstream (Evolution 2) EL	2427.012: 3063.016 bowl, 4061.016 tank	800	SPS		2	2		E		*									F
12-104	American Standard	Mainstream (Evolution 2) EL ADA	2428.012: 3068.016 bowl, 4061.016 tank	1,000	SPS		2	2		E	*	*									F
12-106	American Standard	Mainstream (Evolution 2) EL ADA (insulated tank)	3068.016 bowl, 4061.500 tank (lined)	1,000	SPS		2	2		E	*	*									F
	American Standard	Glenwall EL (wall mount-ADA possible)	3402 bowl, 4098 tank	800	SPS		2	-		E	*			*						R	W
10-129	American Standard	Madera EL (10-inch rough-in)	3451.160 flushometer bowl only (top spud); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*										F
10-129	American Standard	Madera EL (10-inch rough-in)	3452.160 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*										F
10-130	American Standard	Madera EL (10-inch rough-in)	3453.160 flushometer bowl only (back spud); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*										F
10-130	American Standard	Madera EL (10-inch rough-in)	3455.160 flushometer bowl only (back spud; w/bedpan lugs); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*										F
10-131	American Standard	Madera EL ADA (10-inch rough-in)	3461.160 flushometer bowl only (top spud); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*										F
10-131	American Standard	Madera EL ADA (10-inch rough-in)	3462.160 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.6 gal flushometer valve	1,000	NE	NE	1	-		E	*										F
10-132	American Standard	Madera FloWise EL (10-inch rough-in)	3451.128 flushometer bowl only (top spud); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E	*							HET			F
10-132	American Standard	Madera FloWise EL (10-inch rough-in)	3452.128 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E	*							HET			F
10-133	American Standard	Madera FloWise EL ADA (10-in rough)	3461.128 flushometer bowl only (top spud); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E	*							HET			F
10-133	American Standard	Madera FloWise EL ADA (10-in rough)	3462.128 flushometer bowl only (top spud; w/bedpan lugs); tested w/1.2 gal flushometer valve	1,000	NE	NE	1	-		E	*							HET			F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
															KEY: Flush performance (MaP score) Less than 250 grams 250 grams to 475 grams 500 grams and more Type of toilet fixture 6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs) 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist 6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications) 4.8-L (1.28-gal) (max) Flushometer Bowl & Valve Combination HET (Commercial applications)					
5-531	American Standard	Oakmont Champion EL ADA	2738: 3101 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*								F
10-004	American Standard	Oakmont Champion 4 EL	2625.014: 3153 bowl, 4272 tank	1,000	SPS		2	3		E	*	*								F
10-017	American Standard	Oakmont Champion 4 EL ADA	2738.014: 3101 bowl, 4272 tank	1,000	SPS		2	3		E	*	*								F
10-008	American Standard	Oakmont Champion 4 RF	2627.014: 3167 bowl, 4272 tank	1,000	SPS		2	3		R	*	*								F
5-532	American Standard	Oakmont Champion 4 EL	2625: 3153 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*								F
5-503	American Standard	Oakmont Champion 4 RF	2627: 3167 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*								F
	American Standard	Plebe EL	3344 bowl, 4392 tank,	225			2	2		E	*	*								F
	American Standard	Ravenna RF	3454 bowl, 4096 tank	200			2	2		R	*	*								F
10-090	American Standard	Renaissance EL	2446: 3344 bowl, 4037 tank	250			2	2		E	*	*								F
10-009	American Standard	Skyline Champion 4 EL	2219.014: 3121 bowl, 4077 tank	1,000	SPS		2	3		E	*	*								F
10-005	American Standard	Skyline Champion 4 EL ADA	2067.014: 3225 bowl, 4077 tank	950	SPS		2	3		E	*	*								F
10-006	American Standard	Skyline Champion 4 RF	2112.014: 3110 bowl, 4077 tank	1,000	SPS		2	3		R	*	*								F
6-642	American Standard	Skyline Champion 4 EL ADA	3225 bowl, 4077 tank	1,000	SPS		2	3	*	E	*	*								F
6-643	American Standard	Skyline Champion 4 RF	3110 bowl, 4077 tank	1,000	SPS		2	3	*	R	*	*								F
10-077	American Standard	Sonoma/Colony RF	3338 bowl, 4392 tank	300			2	2		R	*	*								F
10-010	American Standard	Townsend Champion 4 EL ADA	2733.014: 3177 bowl, 4281 tank	1,000	SPS		2	3		E	*	*								F
10-002	American Standard	Townsend Champion 4 RF ADA	2735.014: 3180 bowl, 4281 tank	1,000	SPS		2	3		R	*	*								F
	American Standard	Yorkville EL	2320: 3120 bowl, 4099 tank	1,000	SPS		2	-		E	*	*		*					R	F
7-535	Aquadis	CT-A1200 RF	CT-A1200 (bowl & tank models nos. not identified)	300			2	2		R	*	*					HET			F
10-056	Aquadis	DecoKIT RF	TI 627 bowl, FL 610 tank	500			2	2		R	*	*								F
10-054	Aquadis	Liverpool EL ADA	FI 629 bowl, FL 610 tank	800			2	2		E	*	*								F
10-055	Aquadis	Tytane EL	TY350 (one piece)	350			1	2		E	*	*					HET			F
WS	Axent-Regatta Water Co.	None EL ADA	AT1203-xx	350	WS	WS	2			E	*	*								F
	AYERS - SEE TANGSHAN																			
11-087	Bolina	Italiana EL	3031: 3031 bowl, 3031 tank	400			2	2		E	*	*					HET			F
	Briggs	Abingdon III RF	4229: 4875 bowl, 4440 tank	150			2	2		R	*	*								F
8-511	Briggs	Altima III RF	4232: 4320 bowl, 4430 tank	600			2	2		R	*	*								F
	Briggs	Hathaway Vacuity EL	4360 bowl, 4460 tank	700			2	2		E	*	*		*						F
11-089	Briggs	Kingsley EL	6087 (one piece)	800			1	3		E	*	*								F
11-090	Briggs	Kingsley RF	6083-130 (one piece)	600			1	3		R	*	*								F
7-536	Briggs	Maelstrom EL	4395 bowl, 4490 tank	600			2	3		E	*	*								F
7-537	Briggs	Maelstrom EL ADA	4398 bowl, 4490 tank	600			2	3		E	*	*								F
7-538	Briggs	Maelstrom RF	4390 bowl, 4490 tank	400			2	3		R	*	*								F
	Briggs	Vacuity EL	4200: 4300 bowl, 4400 tank	375	SPS		2	2		E	*	*		*						F
	Briggs	Vacuity EL	4245: 4345 bowl, 4400 tank	650	SPS		2	2		E	*	*		*					R	F
WS	Briggs	None RF	4207: 4370 bowl, 4484 tank	350	WS	WS	2			R	*	*					HET			F
WS	Briggs	None EL	4208: 4375 bowl, 4484 tank	350	WS	WS	2			E	*	*					HET			F
	Briggs	Vacuity RF	4210: 4310 bowl, 4400 tank	500	SPS		2	2		R	*	*		*						F
	Capizzi	Turbo Capizzi EL	0778 bowl, 1278 tank	475	SPS		2	-		E	*	*								F
5-510	Capizzi	Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500	SPS		2	-		E	*	*								F
5-511	Capizzi	Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400	SPS		2	-		E	*	*								F
5-513	Capizzi	Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500	SPS		2	-		E	*	*								F
8-536	Caroma	Adelaide 270 Cube EL	834000 bowl, 814790 tank	700	SPS	WS	2	-	*	E	*	*					HET			F
8-537	Caroma	Adelaide 270 Standard EL	834000 bowl, 814328 tank	700	SPS	WS	2	-	*	E	*	*					HET			F
12-006	Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	SPS	WS	2	-	*	R	*	*					HET			F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
12-005	Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	SPS	WS	2	-	*	R	*	*				HET				F
10-113	Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	SPS	WS	2	-	*	R	*	*				HET				F
11-050	Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	WS	2	-	*	E	*	*				HET				F
10-112	Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	SPS	WS	2	-	*	E	*	*				HET				F
11-049	Caroma	Bondi 270 RF ADA	607177 bowl, 726350 tank	550	WS	WS	2	-	*	E	*	*				HET				F
10-110	Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	SPS	WS	2	-	*	R	*	*				HET				F
10-111	Caroma	Bondi 305 EL	609130 bowl, 726350 tank	350	WS	WS	2	-	*	E	*	*				HET				F
12-002	Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	WS	WS	2	-	*	R	*	*				HET				F
8-538	Caroma	Caravelle 1-Piece EL ADA	989668	800	SPS	WS	1	-	*	E	*	*				HET				F
9-032	Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	SPS	WS	2	-	*	E	*	*				HET				F
7-525	Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	SPS	WS	2	-	*	E	*	*				HET				F
	Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	SPS	WS	2	-	*	R	*	*				HET				F
5-509	Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	SPS	WS	2	-	*	R	*	*				HET				F
7-526	Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	SPS	WS	2	-	*	E	*	*				HET				F
5-508	Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	SPS	WS	2	-	*	R	*	*				HET				F
	Caroma	Caravelle One-Piece RF	989646	500	SPS	WS	1	-	*	R	*	*				HET				F
7-513	Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	SPS	WS	2	-	*	R	*	*				HET				F
12-004	Caroma	Colonial 270 RF	605320 bowl, 625070 tank	700	SPS	WS	2	-	*	R	*	*				HET				F
7-527	Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500	SPS		2	-	*	E	*	*				HET				F
5-507	Caroma	Reflections 270 RF	989720: 609159 bowl , 629530 tank	650	SPS		2	-	*	R	*	*				HET				F
7-524	Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600	SPS		2	-	*	R	*	*				HET				F
11-052	Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	WS	2	-	*	E	*	*				HET				F
7-514	Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	SPS	WS	2	-	*	E	*	*				HET				F
7-528	Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	WS	2	-	*	R	*	*				HET				F
11-051	Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	WS	2	-	*	E	*	*				HET				F
5-519	Caroma	Royale 305 EL	609130 bowl, 629530 tank	850	WS	WS	2	-	*	E	*	*				HET				F
	Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	SPS	WS	2	-	*	R	*	*				HET				F
11-055	Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	WS	2	-	*	E	*	*				HET				F
8-533	Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	SPS	WS	2	-	*	E	*	*				HET				F
11-053	Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	WS	2	-	*	E	*	*				HET				F
11-054	Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	WS	2	-	*	E	*	*				HET				F
10-115	Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	SPS	WS	2	-	*	E	*	*				HET				F
10-114	Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	SPS	WS	2	-	*	R	*	*				HET				F
12-093	Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	SPS	WS	2	-	*	E	*	*				HET				F
12-068	Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	SPS	WS	2	-	*	R	*	*				HET				F
11-116 & 12-003	Caroma	Sydney Smart 305 RF (NOTE: 1.2-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	WS	WS	2	-	*	R	*	*	1.2			HET				F
	Caroma	Tasman 270 RF	989860: 609169 bowl, 800032 tank	550	SPS		2	-	*	R	*	*				HET				F
10-116	Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500	SPS		2	-	*	E	*	*				HET			R	W
WS	Cascadian	Toscana EL	C930 bowl, T901 tank	350	SPS	WS	2													F
8-532	Cascadian	EL	C5000 bowl; T5000 tank	250			2	3		E	*	*								F
8-531	Cascadian	RF	C1101 bowl; T1102 tank	300			2	2		R	*	*								F
8-506	Ceralux/Mancesa	San Marino EL ADA	2262 bowl, 2261 tank	500			2	2		E	*	*								F
8-505	Ceralux/Mancesa	Windsor RF	2700 bowl, 2711 tank	400			2	2		R	*	*								F
WS	Cerapure Industries	None EL ADA (one-piece)	C-3432D	350	WS	WS	1			E	*	*				HET				F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
KEY:																				
Flush performance (MaP score)																				
Less than 250 grams																				
250 grams to 475 grams																				
500 grams and more																				
Type of toilet fixture																				
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																				
4-L (1.1-gal) Pressure-assist (HET)																				
Gravity-fed & Vacuum-assist																				
6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																				
4.8-L (1.28-gal) (max) Flushometer Bowl & Valve Combination HET (Commercial applications)																				
COLCERAMICA - SEE MANSFIELD/COLCERAMICA																				
11-078	Conrac	None EL	4722BET bowl, 4721BFT tank (lined)	650	SPS		2	2		E		*								F
11-079	Conrac	None EL	4722BET bowl, 4721BFTU tank	600	SPS		2	2		E		*								F
11-077	Conrac	None EL ADA	4722BIT bowl, 4721BFTU tank	600	SPS		2	2		E	*	*								F
11-076	Conrac	None EL ADA	4722BIT bowl, 4721BFT tank (lined)	600	SPS		2	2		E	*	*								F
11-082	Conrac	None RF	4710BFT (lined tank)	600	SPS		1	2.5		R		*								F
11-083	Conrac	None RF	4710BFTU (one piece)	550	SPS		1	2.5		R		*								F
11-084	Conrac	None RF	4710BFZ (one piece with insulated tank)	500	SPS		1	2.5		R		*					HET			F
11-085	Conrac	None RF	4710BFZU (one piece)	600	SPS		1	2.5		R		*					HET			F
11-080	Conrac	None RF	4720BFZ combination (lined tank)	600	SPS		2	2		R		*					HET			F
11-081	Conrac	None RF	4720BFZU combination	550	SPS		2	2		R		*					HET			F
11-074	Conrac	None RF	4722BFT bowl, 4721BFT tank (lined)	600	SPS		2	2		R		*								F
11-075	Conrac	None RF	4722BFT bowl, 4721BFTU tank	550	SPS		2	2		R		*								F
11-037	Crane	Atlas/Atlanta RF	31012N: 31047N bowl, 31742N tank	400	SPS		2	2		R		*								F
11-017	Crane	Baby Bowl (NOTE: 10" child's bowl height)	3811: 3210 bowl, 3227 tank	250			2	3		R		*								F
11-023	Crane	Classic III EL ADA	31512: 31852 bowl, 31822 tank	800			2	3		E	*	*								F
WS	Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	WS	2	-		E		*					HET			F
WS	Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	WS	2	-		R		*					HET			F
WS	Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	WS	2	-		R		*					HET			F
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	WS	2	3		R								HET		F
WS	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	350	WS	WS	2	3		R								HET		F
WS	Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	WS	2			E		*					HET			F
WS	Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	WS	2			R		*					HET			F
WS	Crane	Eco Saratoga RF	31976: 3352 bowl, 31966 tank (insulated)	350	WS	WS	2			R							HET			F
WS	Crane	Eco Saratoga EL	31980: 3372 bowl, 31960 tank	350	WS	WS	2			E							HET			F
WS	Crane	Eco Saratoga EL	31986: 3372 bowl, 31966 tank (insulated)	350	WS	WS	2			E							HET			F
WS	Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	350	WS	WS	2			R							HET			F
WS	Crane	Ecomiser Dual EL ADA	38400: 3830 bowl, 31500 tank	350	WS	WS	2	-		E	*			*			HET		R	F
WS	Crane	Ecomiser Dual EL	38370: 3827 bowl, 31500 tank	350	WS	WS	2	-		E				*			HET		R	F
11-028	Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	SPS	WS	2	-		E				*			HET			F
WS	Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	WS	2	-		E	*			*			HET			F
11-038	Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000	SPS		2	-		E				*			HET			F
11-039	Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000	SPS		2	-		E				*			HET			F
11-040	Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000	SPS		2	-		E	*			*			HET			F
11-029	Crane	Economiser Bigfoot EL	31135: 31125 bowl, 3612 tank	1,000	SPS		2	-		E				*						F
11-019	Crane	Economiser EL	3832: 3822 bowl, 3612 tank	1,000	SPS		2	-		E				*						F
10-039	Crane	Economiser EL	3835: 3825 bowl, 3612 tank	1,000	SPS		2	-		E				*						F
10-031	Crane	Economiser EL ADA	3838: 3828 bowl, 3612 tank	1,000	SPS		2	-		E	*			*						F
11-025	Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	SPS	WS	2	-		E								HET		F
WS	Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	WS	2	-		E	*							HET		F
11-027	Crane	Economiser One Bigfoot RF	31134: 31124 bowl, 3612 tank	1,000	SPS		2	-		R				*						F
11-026	Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	SPS	WS	2	-		R								HET		F
11-030	Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	SPS	WS	2	-		R				*			HET			F
10-035	Crane	Ecomiser One EL	31945: 3825 bowl, 31612 tank	1,000	SPS		2	-		E								HET		F
10-034	Crane	Ecomiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000	SPS		2	-		E	*							HET		F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)					
															KEY: Flush performance (MaP score)	Type of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
																							Less than 250 grams	250 grams to 475 grams	500 grams and more
																							6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)	4-L (1.1-gal) Pressure-assist (HET)	Gravity-fed & Vacuum-assist
10-037	Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000	SPS		2	-		R							HET			F					
10-038	Crane	Economiser RF	3834: 3824 bowl, 3612 tank	1,000	SPS		2	-		R				*						F					
11-041	Crane	EcoWhirlton EL	3325 flushometer bowl only, tested w/1.2-gpf flushometer valve	800	NE	NE	1	-		E										HET	F				
11-016	Crane	Flormont EL	3186: 3184 bowl, 3546 tank (lined)	250	SPS		2	2		E		*									F				
11-021	Crane	Flormont EL	3921: 3184 bowl, 3742 tank	250			2	3		E		*									F				
11-022	Crane	Flormont EL ADA	3922: 3191 bowl, 3742 tank	400			2	3		E	*	*									F				
11-007	Crane	Galaxy Cranada EL	31514: 3372 bowl, 31744 tank	500			2	3		E		*									F				
11-006	Crane	Galaxy Cranada EL	3790: 3372 bowl, 3740 tank	500			2	3		E		*									F				
10-042	Crane	Galaxy Cranada EL	3792: 3372 bowl, 3742 tank	500	SPS		2	2		E		*									F				
10-043	Crane	Galaxy Cranada EL	3793: 3372 bowl, 3743 tank	500	SPS		2	2		E		*									F				
11-005	Crane	Galaxy Cranada EL ADA	31149: 3815 bowl, 3740 tank	250			2	3		E	*	*									F				
11-008	Crane	Galaxy Cranada RF	31504: 3352 bowl, 31744 tank	500			2	3		R		*									F				
10-029	Crane	Galaxy Cranada RF	3782: 3352 bowl, 3742 tank	500	SPS		2	2		R		*									F				
10-041	Crane	Galaxy Cranada RF	3783: 3352 bowl, 3743 tank	500	SPS		2	2		R		*									F				
11-044	Crane	Hymont RF ADA	3H701 flushometer bowl only, tested w/1.6-gpf flushometer valve	350	NE	NE	1	-		R	*										F				
11-015	Crane	Opus III EL	31672: 31572 bowl, 31552 tank	800			2	3		E		*									F				
11-003	Crane	Opus III EL ADA	31682: 31582 bowl, 31552 tank	800			2	3		E	*	*									F				
11-043	Crane	Placidus RF ADA	3446 flushometer bowl only, tested w/1.6-gpf flushometer valve	350	NE	NE	1	-		R	*									R	W				
11-035	Crane	San Walton EL	3480 flushometer bowl only, tested w/1.6-gpf flushometer valve	800	NE	NE	1	-		E											F				
11-033	Crane	San Walton EL	3481 flushometer bowl only, tested w/1.6-gpf flushometer valve	500	NE	NE	1	-		E											F				
11-032	Crane	San Walton EL	3484 flushometer bowl only, tested w/1.6-gpf flushometer valve	500	NE	NE	1	-		E											F				
11-031	Crane	San Walton EL ADA	31080 flushometer bowl only, tested w/1.6-gpf flushometer valve	600	NE	NE	1	-		E	*										F				
11-034	Crane	San Walton EL ADA	31082 flushometer bowl only, tested w/1.6-gpf flushometer valve	800	NE	NE	1	-		E	*										F				
11-036	Crane	San Walton EL ADA	31083 flushometer bowl only, tested w/1.6-gpf flushometer valve	800	NE	NE	1	-		E	*										F				
11-024	Crane	Shiloh EL	31731 (one piece)	400			1			E		*									F				
10-036	Crane	Sureflush EL	31352: 31192 bowl, 31242 tank	1,000			2	3		E		*									F				
11-013	Crane	SureFlush EL	31362: 31202 bowl, 31242 tank	800	SPS		2	3		E		*									F				
11-012	Crane	Sureflush EL	31363: 31202 bowl, 31243 tank	800			2	3		E		*									F				
11-011	Crane	SureFlush EL ADA	31372: 31212 bowl, 31242 tank	1,000	SPS		2	3		E	*	*									F				
11-014	Crane	Sureflush EL ADA	31373: 31212 bowl, 31243 tank	1,000			2	3		E	*	*									F				
11-002	Crane	SureFlush RF	31352: 31192 bowl, 31242 tank	1,000	SPS		2	3		R		*									F				
11-010	Crane	Sureflush RF	31353: 31192 bowl, 31243 tank	800			2	3		R		*									F				
	Crane	VIP Flush EL	3996: 3991 bowl, 3976 tank	350	SPS		2	2		E			*								F				
	Crane	VIP Flush RF	3995: 3990 bowl, 3976 tank	725	SPS		2	2		R			*								F				
	Crane	VIP RF	3997: 3992 bowl, 3976 tank	550			2	2		R			*						R		F				
11-042	Crane	Whirlton RF	3327 flushometer bowl only, tested w/1.6-gpf flushometer valve	400	NE	NE	1	-		R											F				
12-065	Danze	Orrington EL ADA (one-piece)	DC011223 (one-piece)	1,000	SPS		1	3		E	*	*									F				

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)				
															KEY: Flush performance (MaP score)	Type of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity or powered Flushometer Valve (commercial)			
																						Less than 250 grams	250 grams to 475 grams	500 grams and more
																						6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)	4-L (1.1-gal) Pressure-assist (HET)	Gravity-fed & Vacuum-assist
12-127	Danze	Orrington EL ADA	DC013230 bowl, DC012223 tank	1,000	SPS		2	3		E	*	*							F					
12-064	Danze	Cirtangular EL ADA	DC023230 bowl, DC022221 tank	1,000	SPS		2	3		E	*	*							F					
10-091	Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	400			2	2		S	*	*			HET				R	W				
12-030	Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	SPS		2	2		S	*	*			HET				R	W				
12-031	Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	SPS		2	2		S	*	*			HET				R	W				
12-032	Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	SPS		2	2		S	*	*			HET				R	W				
12-033	Duravit	Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	250	SPS		2	2		S	*	*			HET				R	W				
12-034	Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	SPS		2	2		S	*	*			HET				R	W				
8-527	Duravit	Caro EL	010101 bowl; 092410 tank	1,000			2	3		E	*	*								F				
8-544	Duravit	Darling	020709 bowl, 111.335 in-wall tank (Geberit)	300			2	2		R	*	*			HET				R	W				
8-526	Duravit	Duraplus EL	010201 bowl; 092510 tank	1,000			2	3		E	*	*								F				
6-605	Duravit	Happy D RF	017009 bowl, 091000-05 tank	600			2	2		R	*	*			HET				R	W				
6-604	Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600			2	2		R	*	*			HET				R	W				
8-529	Duravit	Phillipe Starck RF (one piece)	016301.02 (one-piece)	300			1	3		R	*	*							R	W				
6-602	Duravit	Starck 2 EL (one piece)	016301 (one-piece)	250			1	3		E	*	*							R	W				
8-543	Duravit	Starck 3 RF	220009 bowl, 111.335 in-wall tank (Geberit)	250			2	2		R	*	*			HET				R	W				
	Eljer	Aquasaver EL	091-7025: 131-7025 bowl, 141-7000 tank	550	SPS		2	-		E				*						F				
9-007	Eljer	Canterbury EL (one piece)	081-3025 (one-piece)	600			1	3		E		*								F				
	Eljer	Canterbury RF	081-1620 (one-piece)	150	SPS		1	2		R		*								F				
10-026	Eljer	Patriot EL	091-2125: 131-2125 bowl, 141-2120 tank	400			2	2		E		*								F				
	Eljer	Patriot EL ADA	091-2175: 131-2175 bowl, 141-2120 tank	500			2	2		E	*	*								F				
	Eljer	Patriot RF (replaced with newer version)	091-2120: 131-2120 bowl; 141-2120 tank	150			2	2		R		*								F				
10-028	Eljer	Patriot RF (replaces earlier version of Patriot RF)	091-2120: 131-2120 bowl, 141-2120 tank	400			2	2		R		*								F				
	Eljer	Patriot Savoy EL	091-0225: 131-2125 bowl, 141-0220 tank	500			2	2		E		*								F				
10-027	Eljer	Patriot Savoy EL ADA	091-0285: 131-2175 bowl, 141-0220 tank	425			2	2		E	*	*								F				
	Eljer	Patriot Savoy RF	091-0220: 131-2120 bowl, 141-0220 tank	425			2	2		R		*								F				
9-009	Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800	SPS		2	-		E					HET					F				
9-010	Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800	SPS		2	-		E	*				HET					F				
9-008	Eljer	PR Titan RF (one piece)	081-0750	1,000	SPS		1	3		R		*								F				
12-025	Eljer	Sanborn RF	091-0420: 131-0420 bowl, 141-0420 tank	800			2	2		R		*								F				
12-026	Eljer	Sanborn EL	091-0425: 131-0425 bowl, 141-0420 tank	800			2	2		E		*								F				
10-145	Eljer	Titan EL	091-0755: 131-0755 bowl, 141-0777 tank	1,000	SPS		2	3		E		*								F				
8-514	Eljer	Titan EL (one piece)	081-0755	1,000	SPS		1	3		E		*								F				
	Eljer	Titan EL ADA	091-0777: 131-0777 bowl, 141-0777 tank	900	SPS		2	3		E	*	*								F				
8-515	Eljer	Titan EL ADA (one piece)	081-0777	1,000	SPS		1	3		E	*	*								F				
8-518	Eljer	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	SPS		2	3		E		*								F				
8-521	Eljer	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	SPS		2	3		E	*	*								F				
8-516	Eljer	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	SPS		2	3		R		*								F				
10-144	Eljer	Titan RF	091-0750: 131-0750 bowl, 141-0777 tank	1,000	SPS		2	3		R		*								F				
8-519	Eljer	Titan Triangle EL	091-3750: 131-0755 bowl; 141-3777 tank	1,000	SPS		2	3		E		*								F				
8-520	Eljer	Titan Triangle EL ADA	091-3777: 131-0777 bowl; 141-3777 tank	1,000	SPS		2	3		E	*	*								F				
8-517	Eljer	Titan Triangle RF	091-3750: 131-0750 bowl; 141-3777 tank	1,000			2	3		R		*								F				
9-006	Eljer	Toronto Patriot EL	091-2025: 131-2125 bowl; 141-2020 tank	600			2	2		E		*								F				
9-004	Eljer	Toronto Patriot EL ADA	091-2075: 131-2175 bowl; 141-2020 tank	800			2	2		E	*	*								F				

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
9-005	Eljer	Toronto Patriot RF	091-2020: 131-2120 bowl; 141-2020 tank	400			2	2		R		*									F
7-505	Eljer	Toronto Savoy EL	091-0265: 131-2125 bowl, 141-0260 tank	400			2	2		E		*									F
7-534	Eljer	Toronto Savoy EL ADA	091-1265: 131-2175 bowl, 141-0260 tank	1,000			2	2		E	*	*									F
	Eljer	Toronto Savoy RF	091-0260: 131-2120 bowl, 141-0260 tank	325			2	2		R		*									F
FERGUSON - SEE PRO-FLO																					
	Foremost	Classic RF	TL-1207-WL	275			2	2		R		*									F
8-539	Foremost	Gemini Dual-Flush RF	TL-2005-L: LL-2005 bowl, T-2005-L tank (lined)	800	SPS		2	2	*	R		*						HET			F
9-044	Foremost	Gemini Dual-Flush RF ADA	TL-2100-WL (one-piece)	500	SPS		1	2	*	S	*	*						HET			F
8-530	Foremost	Rona Collection EL	TL-8267-WL: LL-8267 bowl, T-8267 tank (lined)	700	SPS		2	2.5		S		*						HET			F
11-095	Foremost	Iris	TL-4000-WL (one-piece)(Also sold ast TL-4310-WLM)	350	SPS		1	3		E		*									F
11-094	Foremost	Aragon IV - EL	TL-6300E-WLN (one-piece, lined tank)	1,000	SPS		1	2		E		*									F
10-084	Foremost	Westminster - RF	TL-6800-WL: T-6800-WL bowl, LL-6800-W tank (lined)	300			2	2		R		*									F
11-072	Foremost	Dietrich EL	TL-7237-YL: LL-7237-Y bowl, T-7237-YL tank (lined)	350	SPS		2	3		E		*									F
12-017	Foremost	AIO EL ADA	AIO1000-EW: AIOB1000-EW bowl, AIOT1000-W tank	1,000	WS	WS	2	-		E	*			*				HET			F
10-078	Foremost	Colonade - EL ADA	TL-6010E-W: LL-6010-EW bowl, T-6010-W tank	600			2	3		E	*	*									F
10-080	Foremost	Colonade - EL ADA	TL-6010E-WL: LL-6010-EW bowl, T-6010-WL tank (lined)	500	SPS		2	3		E	*	*									F
11-073	Foremost	Total - RF	TT-2010-WL: LL-2010 bowl, T-2010 tank (lined)	600	WS	WS	2	2.5		R		*						HET			F
12-016	Foremost	AIO RF ADA	AIO1000-RW: AIOB1000-RW bowl, AIOT1000-W tank	1,000	WS	WS	2	-		R	*			*				HET			F
11-086	Foremost	None EL ADA	TL-7600HC-HET-W: LL-7600HC-HET bowl, T-7600-HET tank (ALSO SOLD BY HOME DEPOT AS GLACIER BAY SKU 331-725)	400	WS	WS	2	3		E	*								HET		F
WS	Foremost	None EL ADA	TL-7600HC-HET-WL: LL-7600HC-HET-W bowl, T-7600HC-HET-WL tank (insulated) (ALSO SOLD as TL-8295-WL)	350	WS	WS	2	3		E									HET		F
WS	Foremost	None RF	TL-7600HC-HETR-W: LL-7600HC-HETR-W bowl, T-7600HC-HET-W tank	350	WS	WS	2	3		R									HET		F
WS	Foremost	None RF	TL-7600HC-HETR-WL: LL-7600HC-HETR-W bowl, T-7600HC-HET-WL tank (insulated tank)	350	WS	WS	2	3		R									HET		F
9-046	Foremost	Pegasus EL ADA	SKU 464-747 (one-piece)	1,000			1	2		E	*	*									F
11-001	Foremost	Plaza	TL-7107-WL: LL-7107 bowl, T-7107 tank	500	WS	WS	2	2.5		S	*	*						HET			F
	Foremost	Premier / Lilas EL ADA	LL-8207-HC bowl, T-8207 tank (ALSO sold as combination TT-8297-WL)	850			2	2		E	*	*									F
	Foremost	Premier / Lilas RF	LL-8207 bowl, T-8207 tank (ALSO sold as combination TT-8207-WL)	375			2	2		R		*									F
	Foremost	Premier / Lilas RF (one-piece)	TL-5101-L (one piece with lined tank)	325			1	2		R		*									F
11-093	Foremost	Premier EL	TL-5100-WL (one piece with lined tank)	750	SPS		1	2		E	*	*									F
	Foremost	Regent RF	LL-5207 bowl, T-5207 tank	350			2	2		R		*									F
11-092	Foremost	Regent RF	TL-5200-WL (one piece with lined tank)	700	SPS		1	2		R		*									F
6-625	Foremost	Rona Toilet-To-Go RF	TL-8257-TTG	250	SPS		2	2		R		*									F
9-045	Foremost	Tuxedo EL ADA	TL-5300E-WL (one-piece) (ALSO sold as TL-5310-WLM)	1,000	SPS		1	2		E	*	*									F
10-095	Gerber	Allerton EL (10-inch rough-in)	20-005: 21-572 bowl, 28-585 tank	1,000			2	2		E		*									F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Type of toilet fixture													Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
		Model Name	Model Number																	
10-059	Gerber	Allerton EL (12-inch rough-in)	20-004: 21-572 bowl, 28-580 tank	600			2	2		E		*								F
10-096	Gerber	Allerton EL (14-inch rough-in)	20-006: 21-572 bowl, 28-584 tank	500			2	2		E		*								F
10-061	Gerber	Allerton EL ADA (10-inch rough-in)	20-008: 21-577 bowl, 28-585 tank	800			2	2		E	*	*								F
10-060	Gerber	Allerton EL ADA (12-inch rough-in)	20-002: 21-577 bowl, 28-580 tank	800			2	2		E	*	*								F
10-097	Gerber	Allerton EL ADA (14-inch rough-in)	20-009: 21-577 bowl, 28-584 tank	800			2	2		E		*								F
10-058	Gerber	Allerton RF (10-inch rough-in)	20-002: 21-542 bowl, 28-585 tank	800			2	2		R		*								F
10-057	Gerber	Allerton RF (12-inch rough-in)	20-001: 21-542 bowl, 28-580 tank	1,000			2	2		R		*								F
10-094	Gerber	Allerton RF (14-inch rough-in)	20-003: 21-542 bowl, 28-584 tank	1,000			2	2		R		*								F
12-046	Gerber	Allerton EL	21-010 (one-piece)	800			2	2		E		*								F
5-574	Gerber	Aquasaver EL (one-piece)	21-015	400			1	2		E		*								F
9-029	Gerber	Avalanche EL ADA	21-817: 21-828 bowl, 28-895 tank	1,000	SPS		2	3		E	*	*								F
9-030	Gerber	Avalanche EL ADA	21-818: 21-828 bowl, 28-890 tank	1,000	SPS		2	3		E	*	*								F
9-031	Gerber	Avalanche EL ADA	21-824: 21-828 bowl, 28-894 tank	1,000	SPS		2	3		E	*	*								F
12-055	Gerber	Avalanche RF (10-inch rough-in)	21-800: 21-852 bowl, 28-895 tank	800	SPS		2	3		R		*								F
12-056	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-890	800	SPS		2	3		R		*								F
12-062	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-892 (insulated)	800	SPS		2	3		R		*								F
12-057	Gerber	Avalanche RF (14-inch rough-in)	21-804: 21-852 bowl, 28-894 tank	800	SPS		2	3		R		*								F
12-058	Gerber	Avalanche EL (10-inch rough-in)	21-810: 21-862 bowl, 28-895 tank	600	SPS		2	3		E		*								F
12-059	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-890 tank	800	SPS		2	3		E		*								F
12-063	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-892 tank (insulated)	800	SPS		2	3		E		*								F
12-060	Gerber	Avalanche EL (14-inch rough-in)	21-814: 21-862 bowl, 28-894 tank	600	SPS		2	3		E		*								F
12-061	Gerber	Avalanche EL ADA (12-inch rough-in)	21-818: 21-828 bowl, 28-892 tank	500	SPS		2	3		E	*	*								F
10-063	Gerber	Brianne EL	21-013 (one-piece)	600	SPS		1	-		E				*						F
10-105	Gerber	Brianne EL (12-inch rough-in)	20-015: 21-185 bowl, 28-183 tank	1,000	SPS		2	3		E		*								F
10-104	Gerber	Brianne EL ADA (12-inch rough-in)	20-013: 21-183 bowl, 28-183 tank	800	SPS		2	3		E	*	*								F
10-062	Gerber	Brianne RF	20-014: 21-184 bowl, 28-183 tank	1,000	SPS		2	2		R		*								F
12-047	Gerber	Brianne EL	21-011 (one-piece)	1,000	SPS		2	3		E		*								F
12-089	Gerber	Lynx RF (12-inch rough-in)	21-602: 21-652 bowl, 28-690 tank	500			2	2		R		*								F
12-122	Gerber	Lynx EL ADA (12-inch rough-in)	21-618: 21-628 bowl, 28-690 tank	500			2	2		E	*	*								F
12-121	Gerber	Lynx EL (12-inch rough-in)	21-612: 21-662 bowl, 28-690 tank	500			2	2		E		*								F
12-124	Gerber	Logan Square EL ADA (10-inch rough-in)	20-019: 21-538 bowl, 28-535 tank	1,000	SPS		2	3		E	*	*								F
12-123	Gerber	Logan Square EL ADA (12-inch rough-in)	20-018: 21-538 bowl, 28-530 tank	1,000	SPS		2	3		E	*	*								F
12-125	Gerber	Logan Square EL (12-inch rough-in)	20-016: 21-532 bowl, 28-530 tank	800	SPS		2	3		E		*								F
12-126	Gerber	Logan Square EL (10-inch rough-in)	20-017: 21-532 bowl, 28-535 tank	1,000	SPS		2	3		E		*								F
10-064	Gerber	Maurice EL	20-012 (one-piece)	500	SPS		1	-		E				*						F
10-103	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, 28-495 tank	300			2	2		E		*								F
10-106	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, EH 28-495 tank (pedestal flush valve)	400	SPS		2	2		E		*								F
10-102	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-490 tank	350			2	2		E		*								F
10-101	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH 28-490 tank	300	SPS		2	2		E		*								F
12-050	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH28-492 tank (insulated) (pedestal flush valve)	400	SPS		2	2		E		*								F
12-091	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-492 tank (insulated)	400			2	2		E		*								F
10-100	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, 28-494 tank	400			2	2		E		*								F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Less than 250 grams													Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
		250 grams to 475 grams																		
		500 grams and more																		
Type of toilet fixture		Model Name	Model Number																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																				
4-L (1.1-gal) Pressure-assist (HET)																				
Gravity-fed & Vacuum-assist																				
6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																				
4.8-L (1.28-gal) (max) Flushometer Bowl & Valve Combination HET (Commercial applications)																				
10-099	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, EH 28-494 tank (pedestal flush valve)	300	SPS		2	2		E		*							F	
10-071	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, 28-495 tank	300			2	2		E	*	*							F	
10-072	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, EH28-495 tank (pedestal flush valve)	250	SPS		2	2		E	*	*							F	
10-073	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-490 tank	300			2	2		E	*	*							F	
10-074	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-490 tank (pedestal flush valve)	300	SPS		2	2		E	*	*							F	
12-051	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-492 tank (insulated)(pedestal flush valve)	250	SPS		2	2		E	*	*							F	
12-092	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-492 tank (insulated)	300			2	2		E	*	*							F	
10-075	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, 28-494 tank	250			2	2		E	*	*							F	
10-076	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, EH28-494 tank (pedestal flush valve)	250	SPS		2	2		E	*	*							F	
10-065	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, 28-495 tank	400			2	2		R		*							F	
10-066	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, EH28-495 tank (pedestal flush valve)	400	SPS		2	2		R		*							F	
12-048	Gerber	Maxwell EL (12-inch rough-in)	21-017 (one piece)	500			1	2		E		*							F	
10-098	Gerber	Maxwell RF (12-inch rough-in)	RF21-017 (one piece)	400			1	2		R		*							F	
10-067	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-490 tank	300			2	2		R		*							F	
10-068	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-490 tank (insulated) (pedestal flush valve)	400	SPS		2	2		R		*							F	
12-049	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-492 tank (insulated) (pedestal flush valve)	350	SPS		2	2		R		*							F	
12-090	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-492 tank (insulated)	350			2	2		R		*							F	
10-069	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, 28-494 tank	600			2	2		R		*							F	
10-070	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, EH28-494 tank (pedestal flush valve)	300	SPS		2	2		R		*							F	
12-052	Gerber	Picturesque EL ADA (12-inch rough-in)	20-010: 21-180 bowl, 28-180 tank	1,000	SPS		2	3		E	*	*							F	
WS	Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	350	WS	WS	2	-		E				*		HET		R	F	
5-564	Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E				*		HET			F	
5-580	Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E				*		HET			F	
5-560	Gerber	Ultra Dual Flush EL ADA	DF-21-318: 21-377 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*			*		HET			F	
5-586	Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E	*			*		HET			F	
5-567	Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*			*		HET		R	F	
5-560	Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-390 tank	1,000	SPS		2	-		E	*			*		HET			F	
6-616	Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		R				*		HET			F	
6-620	Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		R				*		HET			F	
	Gerber	Ultra Flush (rear discharge)	21-310: 21-374 bowl, 28-380 tank	625	SPS		2	-		E				*				R	F	
	Gerber	Ultra Flush EL	21-302: 21-342 bowl, 28-380 tank	900	SPS		2	-		E				*					F	
5-562	Gerber	Ultra Flush EL	21-312: 21-372 bowl, 28-380 tank	1,000	SPS		2	-		E				*					F	
5-578	Gerber	Ultra Flush EL	21-314: 21-372 bowl, 28-384 tank	1,000	SPS		2	-		E				*					F	
WS	Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	350	WS	WS	2	-		E						HET		R	F	
5-577	Gerber	Ultra Flush EL ADA	21-311: 21-372 bowl, 28-385 tank	1,000	SPS		2	-		E	*			*					F	
5-581	Gerber	Ultra Flush EL ADA	21-317: 21-377 bowl, 28-385 tank	1,000	SPS		2	-		E	*			*					F	
5-561	Gerber	Ultra Flush EL ADA	21-318: 21-377 bowl, 28-380 tank	1,000	SPS		2	-		E	*			*					F	

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
		Type of toilet fixture													Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		Model Name	Model Number																		
5-582	Gerber	Ultra Flush EL ADA	21-324: 21-377 bowl, 28-384 tank	1,000	SPS		2	-		E	*			*							F
5-559	Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*						HET				F
5-563	Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*						HET				F
5-576	Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-		E	*						HET				F
5-584	Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-		E	*						HET				F
5-565	Gerber	Ultra Flush EL ADA (rear discharge)	21-325: 21-375 bowl, 28-380 tank	1,000	SPS		2	-		E	*			*						R	F
5-566	Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*						HET			R	F
5-559	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	800	SPS		2	-		E	*						HET				F
6-617	Gerber	Ultra Flush RF	21-300: 21-342 bowl, 28-385 tank	900	SPS		2	-		R				*							F
6-618	Gerber	Ultra Flush RF	21-304: 21-342 bowl, 28-384 tank	900	SPS		2	-		R				*							F
6-615	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	SPS	WS	2	-		R							HET				F
6-619	Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	SPS	WS	2	-		R							HET				F
9-017	Gerber	Viper EL	21-510: 21-562 bowl, 28-595 tank	800			2	2		E		*									F
9-018	Gerber	Viper EL	21-510: 21-562 bowl, EH28-595 tank (pedestal flush valve)	800	SPS		2	2		E		*									F
9-019	Gerber	Viper EL	21-512: 21-562 bowl, 28-590 tank	800			2	2		E		*									F
9-020	Gerber	Viper EL	21-512: 21-562 bowl, EH28-590 tank (pedestal flush valve)	800	SPS		2	2		E		*									F
12-087	Gerber	Viper EL	21-512: 21-562 bowl, 28-592 tank	800			2	2		E		*									F
12-054	Gerber	Viper EL	21-512: 21-562 bowl, EH28-592 tank (pedestal flush valve)(insulated)	500	SPS		2	2		E		*									F
9-021	Gerber	Viper EL	21-514: 21-562 bowl, 28-594 tank	800			2	2		E		*									F
9-022	Gerber	Viper EL	21-514: 21-562 bowl, EH28-594 tank (pedestal flush valve)	500	SPS		2	2		E		*									F
9-023	Gerber	Viper EL ADA	21-517: 21-528 bowl, 28-595 tank	600			2	2		E	*	*									F
9-024	Gerber	Viper EL ADA	21-517: 21-528 bowl, EH28-595 tank (pedestal flush valve)	800	SPS		2	2		E	*	*									F
9-025	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-590 tank	800			2	2		E	*	*									F
9-026	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-590 tank (pedestal flush valve)	800	SPS		2	2		E	*	*									F
12-086	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-592 tank (insulated)	600			2	2		E	*	*									F
12-045	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-592 tank (insulated) (pedestal flush valve)	500	SPS		2	2		E	*	*									F
9-027	Gerber	Viper EL ADA	21-524: 21-528 bowl, 28-594 tank	600			2	2		E	*	*									F
9-028	Gerber	Viper EL ADA	21-524: 21-528 bowl, EH28-594 tank (pedestal flush valve)	600	SPS		2	2		E	*	*									F
9-011	Gerber	Viper RF	21-500: 21-552 bowl, 28-595 tank	600			2	2		R		*									F
9-012	Gerber	Viper RF	21-500: 21-552 bowl, EH28-595 tank (pedestal flush valve)	500	SPS		2	2		R		*									F
9-013	Gerber	Viper RF	21-502: 21-552 bowl, 28-590 tank	600			2	2		R		*									F
9-014	Gerber	Viper RF	21-502: 21-552 bowl, EH28-590 tank (pedestal flush valve)	600	SPS		2	2		R		*									F
12-088	Gerber	Viper RF	21-502: 21-552 bowl, 28-592 tank	800			2	2		R		*									F
12-053	Gerber	Viper RF	21-502: 21-552 bowl, EH28-592 tank (insulated) (pedestal flush valve)	600	SPS		2	2		R		*									F
9-015	Gerber	Viper RF	21-504: 21-552 bowl, 28-594 tank	600			2	2		R		*									F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
9-016	Gerber	Viper RF	21-504: 21-552 bowl, EH28-594 tank (pedestal flush valve)	500	SPS		2	2		R		*									F
12-037	Globe Union	WaterRidge Grace EL	C22055C (one-piece)	500	SPS	WS	1	2		E		*				HET					F
11-048	Globe Union Canada	StoneHouse EL	C220672 (one-piece)	350	SPS		1	2		E		*									F
8-548	HCG	King EL	CS1003 King: C1003 bowl, S352 tank	350			2	3		E		*									F
8-546	HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400			2	2		E		*				HET					F
8-547	HCG	None - EL ADA	CS1001: C1001 bowl, S1001 tank	400			2	3		E	*	*									F
8-545	HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350			2	2		E		*				HET					F
8-549	HCG	Queen EL	CS1003 Queen: C1003 bowl, S353 tank	400			2	3		E		*									F
10-083	Home Depot - Aragon	Aragon IV EL	SKU 511-028 (one-piece, lined tank)	300	SPS		1	2		E		*									F
6-612	Home Depot - Glacier Bay	All-In-One RF	TG-4200-WL: also SKU 170-263	300	SPS		2	2		R		*									F
12-038	Home Depot - Glacier Bay (by Niagara)	Ecologic RF ADA	N2225R-165: N2225RB-165 bowl, N22225T tank	1,000	SPS		2	-	*	R							HET				F
12-067 & 12-070	Home Depot - Glacier Bay (by Niagara)	All-In-One RF ADA	SKU 303-635: 303-635 bowl, 140-911 tank	1,000	SPS		2	-	*	R	*	*									F
7-532	Home Depot - Glacier Bay (by Foremost)	Westminster EL ADA	TL-6800-E: LL-6800-E bowl (SKU 160-753), T-6800 tank (SKU 164-146)	250			2	3		E	*	*									F
11-086	Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank - Home Depot SKU 331-725 (Foremost Model BT6001)	400	WS	WS	2			E	*	*					HET				F
11-108	Home Depot - Glacier Bay (by Niagara)	Glacier Bay - EL ADA (Flapperless)	SKUs: 382-298 bowl, 382-438 tank	400			2	-		E	*	*									F
12-129	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA	331-725 bowl, 331-725 tank (Home Depot SKUs)	600	SPS		2	3		E	*	*					HET				F
7-530	Home Depot - Pegasus	Colonade EL ADA	SKU 160-406 bowl, 152-143 tank	400			2	3		E	*	*									F
10-081	Home Depot - Pegasus	Colonade EL ADA	SKUs: 146-548 bowl, 146-283 tank (lined)	500	SPS		2	3		E	*	*									F
10-079	Home Depot - Pegasus	Colonade EL ADA	SKUs: 160-406 bowl, 152-143 tank	600			2	3		E	*	*									F
8-540	Home Depot - Pegasus	Dual-Flush RF	SKU 131-926	800	SPS		2	-		R		*				HET					F
5-534	Home Depot - Pegasus	Tulip EL (See Vortens-Lamosa)	SKU 477-546: 3107 bowl, 3427 tank	400	SPS		2	-	*	E		*				HET					F
11-107, 12-029, & 12-098	Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless)	N2228: N2228B bowl, N2228T tank. Sold combined as Home Depot SKU 840-565	500	WS	WS	2	-	*	E	*						HET				F
12-023	Home Depot - Pegasus (by Niagara)	Westminster EL ADA	160-753 bowl, 164-146 tank	600	SPS		2	3		E	*	*									F
10-085	Home Depot - Westminster	Westminster RF	SKUs: 455-684 bowl, 455-685 tank (lined)	300			2	2		R		*									F
11-106	Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Sold combined as Home Depot SKU 331-725	800	SPS	WS	2	-	*	E	*						HET				F
8-541	Jacuzzi	Era Collection EL ADA	BK37959 (sold as a set)	800			2	3		E	*	*									F
10-045	Jacuzzi	ERA Collection EL ADA (toilet in a box)	BK37959 (sold as a set)	250			2	3		E	*	*									F
WS	Jacuzzi	Espres	EZ36959	350	SPS	WS															
12-066	Jacuzzi	Perfecta RF ADA (toilet in a box)	EZ33959 (sold as a set)	1,000	SPS		2	3		R	*	*									F
	Jacuzzi	Era EL	BM06	250			1	3		E		*									F
12-069	Jacuzzi	Era Toilet "in a box" EL ADA	BK37959	1,000	SPS		2	3		E	*	*									F
8-512	Jacuzzi	Maxima EL ADA	DP55959 bowl, EL61959 tank	1,000			2	3		E	*	*									F
	Jacuzzi	Perfecta EL ADA	BN30959 bowl, BN30-BN31 tank	300			2	3		E	*	*									F
8-542	Jacuzzi	Perfecta RF ADA	BN31959 (sold as a set)	800			2	3		R	*	*									F
10-044	Jacuzzi	Signa Collection EL	BA29-959 bowl, Y415-959 tank	300			2	2		E		*									F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
12-095	Jameco	Aquacer RF	1700B bowl, 1700T tank. Sold as Lowe's SKUs 160-696 and 160-695, respectively.	250			2	2		R		*								F
12-096	Jameco	V5000 RF	Bowl & Tank sold as Lowe's SKU 60691	250			2	2		R		*								F
10-047	Kohler	Archer EL ADA	K-3517: 4295 bowl, 4493 tank	800	SPS		2	3		E	*	*								F
5-526	Kohler	Bancroft Comfort Height EL ADA	K-3487: 4281 bowl, 4633 tank	800	SPS		2	3		E	*	*								F
6-603	Kohler	Barrington Pressure Lite EL	K-3554: 4327 bowl, 4645 tank	1,000	SPS		2	-	*	E	*	*		*					R	F
12-018	Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	WS	WS	2	-		E				*		HET			R	F
5-522	Kohler	Cimarron Comfort Height EL ADA	K-3489	800	SPS		1	3		E	*	*								F
6-629	Kohler	Cimarron EL ADA	K-3496: 4286 bowl, 4634 tank - NOTE: this fixture is also sold as K-11466 when included as part of the "COMPLETE SOLUTION" package.	800	SPS		2	3		E	*	*								F
6-628 & 8-555	Kohler	Cimarron RF ADA	K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also sold as K-11465 when included as part of the "COMPLETE SOLUTION" package.	800	SPS		2	3		R	*	*								F
10-109	Kohler	Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	SPS	WS	2	3		E	*						HET			F
WS	Kohler	Cimarron EL ADA	K-3609:	350	WS	WS	2			E	*						HET			F
11-071	Kohler	Cimarron EL	K-3499: 4285 bowl, 4634 tank (option at 1.4-gal)	600	SPS		2	3		E		*								F
6-633	Kohler	Devonshire EL	K-3457: 4269 bowl, 4619 tank	250			2	2		E		*								F
9-049	Kohler	Devonshire EL ADA	K-3503: 4288 bowl, 4708 tank	1,000	SPS		2	3		E	*	*								F
10-046	Kohler	Gabrielle EL ADA	K-3513 (one-piece)	800	SPS		1	3		E	*	*								F
10-107	Kohler	Highline EL ADA	K-3611: 4298 bowl, 4632 tank	800			2	3		E	*	*								F
5-523	Kohler	Highline Pressure Lite EL ADA	K-3493: 4304 bowl, 4645 tank	800	SPS		2	-	*	E	*	*		*						F
12-075	Kohler	Kelston EL ADA	K-11452: F4306 bowl, F4474 tank	1,000	SPS		2			E	*	*								F
12-074	Kohler	Kelston EL ADA	K-11453: F4306 bowl, F4469 tank	1,000	SPS	WS	2			E	*	*					HET			F
12-076	Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	WS	WS	2			E		*			HET					F
WS	Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	350	WS	WS	1			E	*	*		*		HET				F
5-524	Kohler	Memoirs Classic EL	K-3451 (Classic tank lid)	800	SPS		1	3		E		*								F
12-019	Kohler	Memoirs Classic EL ADA	K-3515: 4294 bowl, 4491 tank; NOTE: this fixture is also sold as K-11461 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS		2	3		E	*	*								F
12-021	Kohler	Memoirs Stately RF ADA	K-3511: 4289 bowl, 4492 tank	1,000	SPS		2	3		R	*	*								F
12-022	Kohler	Memoirs Stately EL ADA	K-3526: 4294 bowl, 4492 tank; NOTE: this fixture is also sold as K-11460 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS		2	3		E	*	*								F
12-020	Kohler	Memoirs Classic RF ADA	K-3509: 4289 bowl, 4491 tank	1,000	SPS		2	3		R	*	*								F
5-525	Kohler	Memoirs Stately EL	K-3453 (Stately tank lid)	800	SPS		1	3		E		*								F
WS	Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	350	SPS	WS	2	-		E		*			HET					F
9-050	Kohler	Portrait EL ADA	K-3506 (one-piece)	1,000	SPS		1	3		E	*	*								F
12-094	Kohler	Saile EL	K-3564 (one piece)	500	SPS	WS	1			E		*			HET					F
4-501	Kohler	Purist EL	K-3492 Power-Assisted	800	SPS		1	-	*	E				*						F
5-506	Kohler	San Raphael Power Lite EL	K-3398 Power-Assisted (DISCONTINUED MODEL-replaced by K-3393)	850	SPS		1	-	*	E				*		HET				F
7-545	Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	SPS	WS	1	-	*	E	*			*-at 1.4-g		HET				F
12-024	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	WS	WS	1	-	*	E	*					HET				F
	Kohler	Santa Rosa EL	K-3323	500			1	2		E		*								F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
9-051	Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	SPS	WS	2	2	*	E		*			HET					F
8-550	Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	SPS	WS	2	2	*	R		*			HET					F
10-092	Kohler	Sterling Riverton RF	402502: 404015 bowl, 404522 tank	250			2	2		R		*								F
6-622	Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	SPS	WS	2	-	*	E		*			HET					F
	Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	350	SPS	WS	2	-	*	R		*			HET					F
	Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	350	SPS	WS	2	-	*	E		*			HET					F
6-631	Kohler	Wellworth EL	K-3422: 4276 bowl, 4620 tank	250			2	2		E		*								F
10-143	Kohler	Wellworth EL (flushometer bowl & valve combination)	K-4406 flushometer bowl (tested with K-10956 flushometer valve (piston type))	1,000	NE	NE	2	-		E								HET		F
12-001	Kohler	Highline EL ADA (flushometer bowl and valve combination)	K-4405 and K-4405L bowls (tested with K-10956 flushometer valve (piston type))	1,000	NE	NE	2	-		E	*							HET		F
5-527	Kohler	Wellworth Pressure Lite EL	K-3505: 4303 bowl, 4645 tank	1,000	SPS		2	-		E				*						F
7-508	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	SPS	WS	2	-		E						HET				F
6-630	Kohler	Wellworth RF	K-3423: 4277 bowl, 4620 tank; NOTE: this fixture is also sold as K-11470 when included as part of the "COMPLETE SOLUTION" package.	300			2	2		R		*								F
12-073	Kohler	Wellworth Class 5 EL	K-3574: 4293 bowl, 4632 tank	1,000	SPS		2	3		E		*								F
12-097	Kohler	Wellworth Class 5 RF	K-3576: 4299 bowl, 4632 tank	800	SPS		2	3		R		*								F
7-509	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	SPS	WS	2	-	*	E	*				HET					F
	Mancesa	Cyclone 4 EL	2282 bowl, 2281 tank	650	SPS		2	-		E					HET					F
	Mancesa	St. Michelle RF	2360 bowl, 4260 tank	350			2	2		R		*								F
8-506	Mancesa/Ceralux	San Marino EL ADA	2262 bowl, 2261 tank	500			2	2		E	*	*								F
8-505	Mancesa/Ceralux	Windsor RF	2700 bowl, 2711 tank	400			2	2		R		*								F
12-072	Mansfield	Alto RF	130 bowl, 161 tank	250	SPS		2	-	*	R		*								F
10-125	Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	SPS	WS	2	-		E			*		HET					F
10-118	Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	SPS	WS	2	-		E			*		HET			R		F
10-123	Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	SPS	WS	2	-		E	*		*		HET					F
10-124	Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	SPS	WS	2	-		R			*		HET					F
5-503	Mansfield	Magnum EL	722	600			1	3		E		*								F
	Mansfield	Maverick EL	101 bowl, 102 tank (NOTE: This combination also bears the model no. 645 when sold at Lowe's)	650			2	3		E		*								F
9-041	Mansfield	Maverick EL	101 bowl, 109 tank (lined tank)	1,000			2	3		E		*								F
9-040	Mansfield	Maverick EL ADA	104 bowl, 109 tank (lined tank)	1,000			2	3		E	*	*								F
6-648	Mansfield	Montclair EL ADA	107 bowl, 108 tank	550			2	3		E	*	*								F
11-068	Mansfield	None - EL	144 bowl, 119 tank	1,000	SPS	WS	2	-		E	*		*		HET			R		W
11-069	Mansfield	None - EL	144 bowl, 123 tank	1,000	SPS		2	-		E	*		*					R		W
11-070	Mansfield	None - EL	144 bowl, 153 tank	900	SPS	WS	2	-		E	*				HET			R		W
9-042	Mansfield	None - RF	103 bowl, 109 tank	400			2	3		R		*								F
12-027	Mansfield	Prestigio 4 EL	704 (one-piece)	950	WS	WS	1	-		E					HET					F
12-071	Mansfield	705NS ONE-PIECE EL	70501002 (one-piece)	600	SPS		1	3		E		*								F
	Mansfield	Quantum EL	147 bowl, 123 tank	825	SPS		2	-		E			*							F
6-647	Mansfield	Quantum EL (rear discharge)	149 bowl, 123 tank	550	SPS		2	-		E			*					R		F
	Mansfield	Quantum EL ADA	148 bowl, 123 tank	925	SPS		2	-		E	*		*							F
	Mansfield	Quantum RF	146 bowl, 123 tank	850	SPS		2	-		R			*							F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)						
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)								
		KEY:																								
		Flush performance (MaP score)																								
		Less than 250 grams																								
		250 grams to 475 grams																								
		500 grams and more																								
		Type of toilet fixture																								
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																								
		4-L (1.1-gal) Pressure-assist (HET)																								
		Gravity-fed & Vacuum-assist																								
		6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																								
		4.8-L (1.28-gal) (max) Flushometer Bowl & Valve Combination HET (Commercial applications)																								
10-121	Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	SPS	WS	2	-		E															F	
10-119	Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	SPS	WS	2	-		E															R	F
10-120	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	SPS	WS	2	-		E	*															F
10-122	Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	SPS	WS	2	-		R																F
12-007	Mansfield/Colceramica	Essence EL ADA	184 bowl, 185 tank	750	SPS		2	3		E	*	*														F
12-008	Mansfield/Colceramica	Reo EL ADA	186 bowl, 187 tank	600	SPS		2	3		E	*	*														F
9-039	Mansfield/Colceramica	Stafford EL	105 bowl, 106 tank	800			2	3		E	*	*														F
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Also sold as Home Depot SKU 331-725	800	SPS	WS	2	-	*	E	*															F
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (note that tank and bowl model nos. are identical to those of the older Flapperless RF HET)	500	SPS	WS	2	-	*	R																F
12-038	Niagara	Glacier Bay Ecologic RF ADA	N2225R-165: N2225RB-165 bowl, N2225T tank	1,000	SPS		2	-	*	R																F
12-129	Niagara	Glacier Bay EL ADA	331-725 bowl, 331-725 tank (Home Depot SKUs)	600	SPS		2	3		E	*															F
12-098	Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	400	WS	WS	2	-	*	E	*															F
12-067 & 12-070	Niagara	Glacier Bay All-In-One RF ADA	Home Depot SKU 303-635: 303-635 bowl, 140-911 tank	1,000	SPS		2	-	*	R	*	*														F
9-037	Niagara	Flapperless HET RF	N2225RB bowl, N2225T tank (model replaced by the Ecologic RF HET flapperless)	250	SPS		2	-	*	R																F
6-644	Niagara	Flapperless Muskoka EL ADA	N2217: 2217 bowl, 2217 tank	600			2	-	*	E	*	*														F
6-646	Niagara	Flapperless Muskoka RF ADA	N2217R: 2217R bowl, 2217 tank	600			2	-	*	R	*															F
	Niagara	Flapperless RF	N2216: 2216B bowl, 2216T tank	725	SPS		2	-	*	R	*	*														F
6-645	Niagara	Flapperless Superior EL	N2218	600			1	-	*	E	*	*														F
12-036	Niagara	None EL	N2310: 2310B bowl, 2310T tank	1,000	SPS	WS	2	-	*	E																F
11-046	Niagara	None EL	N4418 (one piece)	500	SPS		1	-	*	E																F
11-091	Niagara	None EL ADA	N2226: 2226B bowl, 2216T tank	400	SPS		2	-	*	E	*	*														F
11-045	Niagara	None EL ADA	N4417: N4417 bowl, N4415T tank	350	SPS		2	-	*	E	*															F
11-064	Niagara	None RF	N4416: N4416 bowl, N4415T tank	300	SPS		2	-	*	R																F
	Orion	Iris RF	50073 bowl, 51073 tank	150			2	2		R		*														F
WS	Orion	Green Sense RF	50299 bowl, 51299 tank	350	SPS	WS	2			R																F
WS	Orion	Green Sense EL	50320 bowl, 51299 tank	350	SPS	WS	2			E																F
5-514	Peerless Pottery (by Capizzi)	Predator EL ADA	608 bowl, 1 tank	500	SPS		2	-		E	*															F
5-512	Peerless Pottery (by Capizzi)	Predator Low Profile EL	606 bowl, 1 tank	400	SPS		2	-		E																F
12-110	Porcher (American Standard)	EPIC EL	97220 (one-piece)	500	SPS		1	3		E		*														F
10-137	Porcher (American Standard)	Veneto II EL	97220 (one-piece)	800			1	3		E		*														F
11-103	Pro-Flo	None - EL	PF1301: PF1301 bowl, PF 4112 tank	350			2	2		E		*														F
11-104	Pro-Flo	None - EL ADA	PF1303: PF1303 bowl, PF 4112 tank	350			2	2		E	*	*														F
11-102	Pro-Flo	None - RF	PF1300: PF1300 bowl, PF 4112 tank	350			2	2		R		*														F
	Pro-Flo (by Briggs for Ferguson)	Abingdon III RF	PF2200 bowl; PF3212 tank	150			2	2		R		*														F
8-511	Pro-Flo (by Briggs for Ferguson)	Altima III RF	PF1200 bowl; PF3112 tank	600			2	2		R		*														F
	Pro-Flo (by Briggs for Ferguson)	Hathaway Vacuity EL	PF2200 bowl; PF3212 tank	700			2	2		E		*	*													F
7-536	Pro-Flo (by Briggs for Ferguson)	Maelstrom EL	PF8200 bowl; PF8212 tank	600			2	3		E		*	*													F
7-537	Pro-Flo (by Briggs for Ferguson)	Maelstrom EL ADA	PF8201 bowl; PF8212 tank	600			2	3		E	*	*	*													F
7-538	Pro-Flo (by Briggs for Ferguson)	Maelstrom RF	PF8203 bowl; PF8212 tank	400			2	3		R		*	*													F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)				
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)						
	KEY:	Flush performance (MaP score)																						
		Less than 250 grams																						
		250 grams to 475 grams																						
		500 grams and more																						
		Type of toilet fixture																						
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																						
		4-L (1.1-gal) Pressure-assist (HET)																						
		Gravity-fed & Vacuum-assist																						
		6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																						
		4.8-L (1.28-gal) (max) Flushometer Bowl & Valve Combination HET (Commercial applications)																						
	Pro-Flo (by Briggs for Ferguson)	Vacuity EL	PF3205 bowl; PF3612 tank	650			2	2		E				*									R	F
	Pro-Flo (by Briggs for Ferguson)	Vacuity EL	PF3201 bowl; PF3612 tank	375			2	2		E				*										F
	Pro-Flo (by Briggs for Ferguson)	Vacuity RF	PF3200 bowl; PF3612 tank	500			2	2		R				*										F
WS	Pro-Flo (by Briggs for Ferguson)	None RF	PF9200 bowl; PF9212 tank	350	WS	WS	2			R			*											F
WS	Pro-Flo (by Briggs for Ferguson)	None EL	PF9201 bowl; PF9212 tank	350	WS	WS	2			E			*											F
11-066	Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	SPS	WS	2	2		E	*	*												F
11-065	Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	SPS	WS	2	2		E	*	*												F
11-067	Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	SPS	WS	2	2		R		*												F
11-114	Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	SPS	WS	2	3		E														F
11-112	Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	SPS	WS	2	3		R														F
10-093	Quality Craft	None	2301 bowl, 2302 tank (lined) with pilot-type fill valve	300			2	2		R		*												F
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900	SPS		2	3		E	*													F
12-010	Quality Craft	None - EL ADA	3001/3002 (insulated tank)	950	SPS		2	3		E	*	*												F
12-011	Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900	SPS		2	3		E	*	*												F
12-013	Quality Craft	Alexis ULF Toilet in a Box - EL ADA	30012K: 3001 bowl, 3002 tank (insulated)	950	SPS		2	3		E	*	*												F
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	SPS	WS	2	3		E	*	*												F
12-015	Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	SPS	WS	2	3		E	*	*												F
7-529	Quality Craft	Sylvia RF	2301 bowl, 2302 tank with ballcock fill valve	400			2	2		R		*												F
5-556	RAK Ceramics	Compact Syphonic EL ADA	CT30 bowl, CT65 tank	650			2	3		E	*	*												F
9-003	RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500			2	2		E	*	*												F
6-601	RAK Ceramics	Washington Syphonic EL	171 bowl, WT20 tank	600			2	3		E	*	*												F
9-002	RAK Ceramics	Windsor EL	WE20 bowl, W120 tank	1,000			2	3		E	*	*												F
10-086	Romax	Romax RF	3274-502: T6816 bowl, X6816 tank	150			2	2		R		*												F
	STERLING - SEE KOHLER																							
	St. Thomas	Marathon RF	6201.01	200			2	2		R		*												F
11-047	Svena Int'l	Eago EL	TB109M	300			1	2.5		E		*												F
12-028	Tangshan Ayers Bath	Dofiny - EL ADA	UAC1301BS-AA bowl, UAT1302-AA tank	550	SPS	WS	2	3		E	*													F
5-516	Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	SPS	WS	2	2		E	*	*												F
12-082	Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	WS	WS	2	2.5		E														F
12-084	Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	WS	WS	2	2.5		E														F
12-080	Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	WS	WS	2	2.5		E	*													F
	Toto	Carlyle EL	874	625			1	3		E		*												F
	Toto	Carusoe RF	715: C715 bowl, ST706 tank	650			2	2		R		*												F
	Toto	Clayton EL ADA (nee Baldwin)	784: C784SF bowl, ST784S tank	675			2	3		E	*	*												F
	Toto	CST703 RF	703: C703 bowl, ST703 tank	550			2	2		R		*												F
	Toto	Dalton EL ADA	734: C734F bowl, ST733 tank	650			2	2		E	*	*												F
	Toto	Drake EL	CST744S: C744S bowl, ST743S tank	900	SPS		2	3		E	*	*												F
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	SPS	WS	2	3		E	*													F
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	SPS	WS	2	3		E	*													F
11-061	Toto	EcoDrake EL	CST744E: C744E bowl, ST743E tank	600	SPS	WS	2	3		E														F
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	SPS	WS	2	3		E	*													F
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	SPS	WS	2	3		R														F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)				
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)						
																					KEY: Flush performance (MaP score)			
																					Type of toilet fixture			
				Less than 250 grams																				
				250 grams to 475 grams																				
				500 grams and more																				
				6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																				
				4-L (1.1-gal) Pressure-assist (HET)																				
				Gravity-fed & Vacuum-assist																				
				6-L (1.6-gal) Flushometer Bowl & Valve Combination (Commercial applications)																				
				4.8-L (1.28-gal) (max) Flushometer Bowl & Valve Combination HET (Commercial applications)																				
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	SPS	WS	2	3		E	*						HET			F				
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	SPS	WS	1	3		E							HET			F				
WS	Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	350	SPS	WS	1	3		E							HET			F				
11-118	Toto	EcoUltramax EL	CST854E OR MS854114E OR MW854***E	500	SPS	WS	1	3		E							HET			F				
11-119	Toto	EcoUltramax EL ADA	CST854EL OR MS854114EL OR MW854***EL	500	SPS	WS	1	3		E	*						HET			F				
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	SPS	WS	1	3		R							HET			F				
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	SPS	WS	2	3		E	*						HET			F				
11-123	Toto	Gwyneth EL ADA	CST604CEF OR MS604114CEF (one-piece) OR MW604***CEF	500	SPS	WS	1	3		E	*						HET			F				
12-083	Toto	Gwyneth EL ADA	CST454CEF: C454CE bowl, ST454E tank	800	WS	WS	2	3		E	*						HET			F				
12-081	Toto	EcoPromenade EL ADA	CST424EF: C424EF bowl, ST423E tank	400	WS	WS	2	3		E	*						HET			F				
7-515	Toto	Neorest EL	600	700	SPS		1	-	*	E				*						F				
	Toto	Plymouth EL	924	675	SPS		1	3		E		*								F				
	Toto	Ultimate EL	854	325	SPS		1	3		E		*								F				
	Toto	Ultimate RF	853	400	SPS		1	3		R		*								F				
	Toto	Ultramax EL	854xxxS	700	SPS		1	3		E		*								F				
11-066	Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	WS	2	2		E		*					HET			F				
11-065	Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	WS	2	2		E	*	*					HET			F				
11-067	Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	WS	2	2		R		*					HET			F				
11-110	Tynan Plumbing	MacLair EL	4313: 0313 bowl, 1330FET3 tank	1,000			2	3		E		*								F				
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	WS	2	3		E								HET		F				
11-109	Tynan Plumbing	MacLair RF	4312: 0312 bowl, 1330FET3 tank	1,000			2	3		R		*								F				
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	WS	2	3		R							HET			F				
12-035	Villeroy & Boch	Strada EL	5W00-01: 5C00-01 bowl, 5D01-U1 tank	1,000	SPS		2	3		E		*								F				
	Vitra	Altantis EL	5051 bowl, 6853 tank	750	SPS		2	2		E		*								F				
	Vitra	Altantis RF	5050 bowl, 6853 tank	800	SPS		2	2		R		*								F				
6-608	Vitra	Atlantis EL ADA	5052 bowl, 6853 tank	600	SPS		2	2		E	*	*								F				
6-609	Vitra	Corina Comfort EL ADA	5232 bowl, 5070 tank	1,000	SPS		2	3		E	*	*								F				
5/3/04	Vitra	Corina EL	5069 bowl, 5070 tank	850	SPS		2	3		E		*								F				
5-551	Vitra	Corina EL (one-piece)	5178	750	SPS		1	3		E		*								F				
5/3/04	Vitra	Corina RF	5068 bowl, 5070 tank	825	SPS		2	3		R		*								F				
5-550	Vitra	Corina RF (one-piece)	5209	850	SPS		1	3		R		*								F				
6-627	Vitra	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	SPS	WS	2	-	*	E	*						HET			F				
6-607	Vitra	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	SPS	WS	2	2		E	*	*					HET			F				
10-108	Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	SPS	WS	2	-	*	R	*	*					HET			F				
9-048	Vitra	EverGreen EL ADA	5195 bowl, 5402 tank	600	WS	WS	2	2		E	*							HET		F				
9-047	Vitra	EverGreen RF ADA	5196 bowl, 5402 tank	800	WS	WS	2	2		R	*							HET		F				
5-536 & 5-548	Vitra	Mona EL	4117 bowl, 4015 tank	800			2	3		E		*								F				
5-537 & 5-549	Vitra	Riva EL	4117 bowl, 6952 tank	700			2	3		E		*								F				
8-503	Vitra	Serenada EL ADA	4219-003-5265	800	SPS		1	3		E	*	*								F				
	Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	350	WS	WS	2			E		*						HET			F			
	Vortens-Lamosa	Delfos	3130	350	WS	WS	1					*						HET			F			

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
	Vortens-Lamosa	Genova EL	3121 bowl, 3421 tank	450			2	2		E		*									F
	Vortens-Lamosa	GTA RF	3200 bowl, 3412 tank	300			2	2		R		*									F
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	WS	2	3		E	*									HET	F
WS	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	350	WS	WS	2	3		E										HET	F
WS	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	350	WS	WS	2	3		R										HET	F
WS	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	350	WS	WS	2	3		E	*									HET	F
WS	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	350	WS	WS	2	3		E										HET	F
WS	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	350	WS	WS	2	3		R										HET	F
	Vortens-Lamosa	Palermo EL	3126	350			1	2		E		*									F
5-534	Vortens-Lamosa	Pegasus Tulip EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400	SPS		2	-	*	E		*								HET	F
10-049	Vortens-Lamosa	Rhodas EL ADA	3123V bowl, 3436SPS tank	600	SPS		2	2		E	*	*									F
10-050	Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	SPS	WS	2	-	*	E	*	*								HET	F
5-521	Vortens-Lamosa	Taza Vienna RF (Lined)	3208 bowl, 3464-S tank (lined)	550	SPS		2	2		R		*									F
5-520	Vortens-Lamosa	Taza Vienna RF (Unlined)	3208 bowl, 3464-R tank (unlined)	600	SPS		2	2		R		*									F
5-504	Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	SPS	WS	2	-		E										HET	F
8-553	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	SPS	WS	2	-		E	*									HET	F
10-051	Vortens-Lamosa	Vienna ELX	3113ELX bowl, 3436SPS tank	1,000	SPS	WS	2	2	*	E		*								HET	F
WS	Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	350	WS	WS	2		*	E										HET	F
	Vortens-Lamosa	Vienna II RF	3208 bowl, 3412 tank	550			2	2		R		*									F
9-053	Vortens-Lamosa	Vienna L EL (ballcock-float arm fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464V)	800			2	2		E		*									F
9-052	Vortens-Lamosa	Vienna L EL (pilot fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464R)	800	SPS		2	2		E		*									F
11-063	Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	SPS	WS	2	2	*	R		*								HET	F
10-053	Vortens-Lamosa	Vienna RF	3208 bowl, 3436SPS tank	500	SPS		2	2		R		*									F
	Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375	SPS	WS	2		*	R		*								HET	F
	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3412 tank	550			2	2		R		*									F
10-052	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	SPS	WS	2	2	*	R		*								HET	F
WS	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3420 tank	350	WS	WS	2		*	R		*								HET	F
8-552	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464 tank	800	SPS		2	2		R		*									F
9-001	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464-C tank	500	SPS		2	2		R		*									F
WATERIDGE - SEE GLOBE UNION																					
	Western Pottery	Aris 822 RF	822 bowl, ULF-8 tank	375			2	2		R		*									F
	Western Pottery	Clinton 832 EL	832 bowl, ULF-8 tank	300			2	2		E		*									F
12-040	Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-ULF-DF tank	550	SPS		2	2		E		*								HET	F
5-528	Western Pottery	Hi-Boy Challenger EL	872 bowl, ULF-8 tank	1,000			2	2		E		*									F
10-138	Western Pottery	Typhoon 820 RF	820: B820 bowl, T8ULF-HP tank	1,000			2	3		R		*									F
10-139	Western Pottery	Typhoon 830 EL	830: B830 bowl, T8ULF-HP tank	800			2	3		E		*									F
10-140	Western Pottery	Typhoon 870 EL ADA	870: B870 bowl, T8ULF-HP tank	1,000			2	3		E	*	*									F
10-142	Western Pottery	Wrangler EL	432PF: B432PF bowl, T4ULF-PF tank	1,000	SPS		2	-		E				*							F
10-141	Western Pottery	Wrangler EL ADA	472PF: B472PF bowl, T4ULF-PF tank	1,000	SPS		2	-		E	*			*							F
10-117 & 12-120	Western Pottery	Wrangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank	1,000	SPS		2	-		E										HET	F
6-637	Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	SPS	WS	2	-	*	E				*						HET	F

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)		
		Type of toilet fixture													Model Name	Model Number	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)
		Less than 250 grams 250 grams to 475 grams 500 grams and more																				
6-639	Zurn	EcoVantage Dual Flush EL ADA		1,000	SPS	WS	2	-	*	E	*			*	HET					F		
6-635	Zurn	EcoVantage EL		800	SPS		2	-	*	E				*						F		
WS	Zurn	EcoVantage RF		350	WS	WS	2	-	*	R						HET				F		
WS	Zurn	EcoVantage Dual Flush RF		350	WS	WS	2			R					HET					F		
6-634	Zurn	EcoVantage EL		800	SPS	WS	2	-	*	E						HET				F		
7-506	Zurn	EcoVantage EL ADA		900			2	3		E	*	*								F		
6-640	Zurn	EcoVantage EL ADA		1,000	SPS		2	-	*	E	*			*						F		
12-041	Zurn	None EL		1,000	NE	NE	1	-	*	E	*							HET		F		
12-042	Zurn	None EL ADA		1,000	NE	NE	1	-	*	E	*							HET		F		
12-043	Zurn	None EL (wall mount-ADA possible)		800	NE	NE	1	-	*	E	*							HET	R	W		
6-638	Zurn	EcoVantage EL ADA		1,000	SPS	WS	2	-	*	E	*					HET				F		
8-509	Zurn	EL		350			2	2		E		*								F		
8-510	Zurn	EL		1,000			2	3		E		*								F		
8-507	Zurn	EL ADA		400			2	2		E	*	*								F		
8-508	Zurn	RF		400			2	2		R		*								F		
		Z5540: Z5520/40 bowl; Z5530/40/50 tank					2	2												F		

Key: RF – Round-front toilet bowl
EL – Elongated-front toilet bowl
S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

NE - Currently NOT ELIGIBLE for WaterSense or SPS designation; commercial flushometer valve toilet.

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense

SPS - Qualified to the Los Angeles Supplementary Purchase Specification for adjustability